

FIGURE 1





FIGURE 2







FIGURE 4






FIGURE 6

REPLACEMENT SHEET

FIGURE 7





FIGURE 8

46540X01




Measures & Results

Elt	XRay	W%	A%	Formula	Ox%
S	Ka	36.2	53.7		0.0
Zn	Ka	63.8	46.3		0.0
		100.0	100.0		0.0

(8)

FIG. 9






Measures & Results

Elt	XRay	W%	A%	Formula	Ox%
Na	Ka	5.6	18.2		0.0
Al	Ka	2.0	5.5		0.0
Cl	Ka	1.4	2.9		0.0
K	Ka	13.8	26.4		0.0
Cu	Ka	2.7	3.2		0.0
I	La	74.5	43.8		0.0
		100.0	100.0		0.0

(B)

FIG. 10

46540X04



Measures & Results


Elt	XRay	₩%	A%	Formula	Ox%
Na	Ka	3.3	10.7	efe e	0.0
Al	Ka	3.7	10.2	•	0.0
K	Ka	18:1	34.5	,	0.0
Cu "	Ka	3.7	1.3	•	0.0
1.	La	73.7	43.2		0.0
	-	100.0	100.0		0.0

(B)

F16. 11

•>>,

46540X05




Measures & Results

NO.	Ka	3.6	12:3	.0.0
SALES	Ka	1.9	5.7	0.0
KKK	Ka	15.2	30.7	0.0
Cu.	Ka	3.4	4.3	0.0
NAL CONTRACTOR	La.	75.8		0.0
	7:51	100.0	100.0	0.0

(8)

F16. 12

46540X02



Measures & Results

s.Na	Ka	5.7	18.6	0.0
AND	Ka	2:0	5.7	0.0
K.	Ka	14.0	27.0	.0.0
*Cŭ	Ka	.3.7	4.4	0.0
*1 *11	La	74.6	44:3	0.0
TGATE GAL		100.0	100.0	0.0

(8)

FIG. 13